



## DELL P2210 55.9 cm (22") 1680 x 1050 pixels LED Black

Brand : DELL

Product code: 861-10134

Product name : P2210

22", 1680 x 1050, 60Hz, 250 cd/m2, 5ms, 16.7M, 4x USB 2.0, black  
DELL P2210. Display diagonal: 55.9 cm (22"), Display resolution: 1680 x 1050 pixels, Display technology: LED. Display: LCD. Response time: 5 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 170°, Viewing angle, vertical: 160°. USB hub version: 2.0. VESA mounting. Product colour: Black



| Display                              |                       | Energy Management                 |                   |
|--------------------------------------|-----------------------|-----------------------------------|-------------------|
| Display diagonal *                   | 55.9 cm (22")         | Power consumption *               | 22 W              |
| Display resolution *                 | 1680 x 1050 pixels    | Power consumption (standby) *     | 0.3 W             |
| HD type *                            | Not supported         | Power consumption (off)           | 0.3 W             |
| Native aspect ratio *                | 16:10                 | AC input voltage                  | 100 - 240 V       |
| Display technology *                 | LED                   | AC input frequency                | 50 - 60 Hz        |
| Panel type *                         | TN+Film               | Input current                     | 1.5 A             |
| Touch screen *                       | ✗                     | Operational Conditions            |                   |
| Display brightness (typical)         | 250 cd/m <sup>2</sup> | Operating temperature range (T-T) | 0 - 40 °C         |
| Response time                        | 5 ms                  | Storage temperature range (T-T)   | -20 - 60 °C       |
| Supported graphics resolutions       | 1680 x 1050 (WSXGA+)  | Operating relative humidity range | 10 - 80%          |
| Aspect ratio                         | 16:10                 | Storage relative humidity range   | 5 - 90%           |
| Contrast ratio (typical) *           | 1000:1                | Operating altitude                | 0 - 12.192 m      |
| Viewing angle, horizontal            | 170°                  | Operating temperature range (T-T) | 32 - 144 °F       |
| Viewing angle, vertical              | 160°                  | Packaging Content                 |                   |
| Display number of colors *           | 16.78 million colours | Cables included                   | AC, DVI, USB, VGA |
| Pixel pitch                          | 0.282 x 0.282 mm      | Quick start guide                 | ✓                 |
| 3D compatibility                     | ✗                     | Manual                            | ✓                 |
| Multimedia                           |                       | Weight & Dimensions               |                   |
| Built-in speakers *                  | ✗                     | Width (with stand)                | 511.8 mm          |
| Built-in camera *                    | ✗                     | Depth (with stand)                | 334.2 mm          |
| Design                               |                       | Height (with stand)               | 411.2 mm          |
| Market positioning *                 | Business              | Width (without stand)             | 51.2 cm           |
| Product colour *                     | Black                 | Depth (without stand)             | 18.4 cm           |
| Ports & interfaces                   |                       | Height (without stand)            | 41.1 cm           |
| USB hub version                      | 2.0                   | Weight (without stand)            | 4.52 kg           |
| USB Type-A downstream ports quantity | 4                     | Sustainability                    |                   |
| VGA (D-Sub) ports quantity           | 1                     | Sustainability certificates       | ENERGY STAR       |

| Ports & interfaces       |              | Thin Client           |     |
|--------------------------|--------------|-----------------------|-----|
| DVI-D ports quantity     | 1            | Thin client installed | ✘   |
| DisplayPorts quantity    | 1            | <b>Other features</b> |     |
| HDCP                     | ✓            | Display               | LCD |
| <b>Ergonomics</b>        |              | TV tuner integrated   | ✘   |
| VESA mounting *          | ✓            |                       |     |
| VESA mounting interfaces | 100 x 100 mm |                       |     |
| Cable lock slot *        | ✓            |                       |     |
| LED indicators           | Power        |                       |     |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-DEC-2022. Prints or copies of Information are only valid on the printed Publication date