ThinkPad X61 Tablet TopSeller models feature Intel Core 2 Duo processor technology and Microsoft Windows Vista operating system

Description	3
Warranty information	6
Reference information	6
Optional features	7
Services	8
Technical information	8
Terms and conditions	1 ²
Prices	12



At a glance

The ThinkPad X61 Tablet TopSeller models offer great features and options, including:

- Intel Core 2 Duo L7500 (1.6 GHz) processor with 4 MB L2 cache, 800 MHz front-side bus (FSB) featuring Intel SpeedStep technology¹ for maximum and battery-optimized performance
- Enhanced port replication and expansion through the optional ThinkPad X6 Tablet UltraBase
- Integrated UltraConnect antenna to help optimize worldwide frequency coverage and performance for improved wireless LAN (WLAN) connectivity on 802.11a, 802.11b, and 802.11g² networks³
- Client Security Solution
- ThinkVantage Rescue and Recovery™
- Microsoft Windows Vista operating system
- Standard 1 GB^{4,5} PC2-5300 DDR2 SDRAM 667 MHz SO DIMM memory
- U.S. Support Center: 800-426-7378

Overview

What's new

The ThinkPad X61 tablet is the ultimate business tool for the professional who is constantly on the move and who needs to stay productive wherever they are. The ThinkPad® X61 Tablet offers extremely long battery life and a small form factor. Its light weight makes it easy to carry wherever your business takes you. Multiple connection options guarantee that you are able to stay connected all the time. The new powerful Core 2 Duo processor technology guarantees that you don't lack performance even for the most processor-intensive tasks such as VoIP calls or heavy-duty analysis.

ThinkPad X61 Tablet TopSeller models include Intel® Core 2 Duo L7500 processors and Microsoft™ Windows™ Vista operating systems.

The ThinkPad X61 Tablet is a thin and light tablet with a 12.1-inch Touchscreen XGA TFT with 1024 x 768 resolution, or a 12.1-inch SXGA+ TFT panel with 1400 x 1050 resolution. It utilizes direct technology that offers improved outdoor visibility. Models weigh beginning at 1.71 kg (3.77 lb), ⁶ with the small footprint starting at 274 mm x 244 mm (10.8 x 9.6 in).

Models come preinstalled with selected applications and one of the following operating systems:

Microsoft Windows Vista Business (32-bit)

• Microsoft Windows Vista Ultimate (32-bit)

Certain product family features are limited to selected models that may not be available in all countries. Some combinations of features are not supported. Refer to the Prices section of this announcement for the models and features available.

Feel the power

- Intel Centrino® Duo mobile technology:
 - Intel Core 2 Duo processors that provide enough power for processor-intensive tasks ranging from data analysis to VoIP calling
 - Intel PRO/Wireless family
 - Intel GM965 chipset family
- · Data security with Client Security Solution
- Integrated Intel Graphics Media Accelerator X3100
- Intel Core 2 Duo L7500 processor (1.60 GHz, 4 MB L2 cache, 800 MHz front-side bus (FSB))

Memory: Standard 1 GB PC2-5300 DDR2 SDRAM 667 MHz SO DIMM memory^{8,9}

HDD

- Up to 100 GB (7200 rpm) 2.5-inch
- Up to 120 GB (5400 rpm) 2.5-inch

Battery: Eight-cell Li-Ion battery

Communications

- Integrated 56 Kbps V.90 modem¹⁰ (V.92¹¹-designed)
- Intel Wireless WiFi Link 4965AGN
- Intel Pro/Wireless 3945ABG Network Connection
- Verizon Wireless Broadband Access^{12,13}
- Cingular Wireless Broadband Access¹⁴
- Integrated Bluetooth wireless technology

Warranty: Three-year limited warranty: ¹⁶ battery, one-year limited warranty

Ports

- Extensive standard ports, including three USB 2.0, external display, RJ-45, RJ-11, and IEEE 1394
- The Secure Digital card slot for options that enable storage expansion, communications, and data transfer between PCs and peripherals
- The PC card slot accommodates either one Type-I or one Type-II card

Options: Expand the function of your ThinkPad X61 Tablet by snapping it into the ThinkPad X6 Tablet UltraBase. This simple, quick-attach solution adds a wide array of expansion capabilities but is small enough to carry anywhere.

Take control: ThinkVantage[™] Access Connections simplifies management of multiple connectivity environments.

Planned availability

Model with Verizon: June 2007

Description

Processor technology: Intel Core 2 Duo L7500 processor feature Intel SpeedStep technology for maximum and battery-optimized performance.

Excellent security and manageability

- Designed to the PXE 2.1 requirement for mobile systems
- Industry-standard Common Information Model-compliant
- Data security through multiple passwords with the Client Security Solution

New data protection: Models include integrated fingerprint reader technology, from ThinkVantage technologies, to help protect access to your ThinkPad Tablet notebook and data.

- Combine the integrated fingerprint reader technology with Password Manager and the Client Security Solution for strong security measures that are easy to follow. Security software is preloaded for an integrated solution out of the box.
- Administrators can implement strong security policies and users can meet ongoing password requirements easily.

ThinkVantage Rescue and Recovery is a one-button recovery and restore solution that includes a set of self-recovery tools to help users diagnose, get help, and recover from system crashes quickly, even if the primary operating system will not boot and you are remote from your support team.

- System Rejuvenation keeps data and system personality settings current when you restore.
- Antidote Delivery Manager allows IT staff to deliver fixes and updates to users wherever they
 are, even if their systems are down because of a worm or virus.
- Point-and-click wizard makes creation of Antidote scripts easy.
- Integration with other ThinkVantage Technologies allows migration from backup and chip-encrypted backups, combining our great technologies to create an even more robust environment.

Accelerometer, a ThinkVantage technology, helps protect your HDD from some damage that could be caused by shock. A system board-mounted sensor continuously monitors your ThinkPad for sudden movement, and temporarily parks the HDD read/write head when a fall or similar event is predicted.

LCD TFT display: The ThinkPad X61 Tablet includes a 12.1-inch Touchscreen XGA TFT with 1024 x 768 resolution, or a 12.1-inch SXGA+ TFT with 1400 x 1050 resolution.

Keyboard and TrackPoint® with enhanced features: The keyboard has the familiar layout and quality of a ThinkPad notebook with function keys that allow you to quickly access system functions such as power management control.

You can use any of three new key combinations to easily manage your ThinkPad system:

- Fn + F5 for wireless radio control
- Fn + F7 for Presentation Director to toggle through different displays and adjust resolutions
- Fn + F9 for Easy Eject to seamlessly remove add-on peripherals, such as a memory key

Each of these quick key combinations launches a menu that assists you in using ThinkPad innovations.

The TrackPoint with enhanced features incorporates the Press-to-Select and Release-to-Select function. Just tap the TrackPoint to speed icon launches and help reduce keystrokes. The programmable center button enables fast scrolling of Web sites (requires Internet access; not

included) and documents or fast panning across wide spreadsheets. Switch to the innovative magnifying glass feature to enlarge screen views in any application. Selected models include integrated fingerprint reader technology.

Card slots: The PC card slot accommodates either one Type-I or one Type-II card. The Secure Digital card slot enables flexible communications and storage expansion.

Memory: Standard memory can be expanded to 3 or 4 GB of addressable memory, depending on whether the operating system is 32- or 64-bit. New notebooks with a Windows Vista or previous Windows XP 32-bit operating system can support up to 3 GB of addressable memory. New notebooks with a Windows Vista 64-bit operating system can support up to 4 GB of addressable memory.

Recommended for memory expansion are 512 MB, 1 GB, and 2 GB PC2-5300 DDR2 SDRAM 667 MHz SO DIMM.

Other features and ports

- External display port
- Intel High Definition (HD) Audio for excellent sound
- Integrated 56 Kbps V.90 modem (V.92-designed)
- Integrated UltraConnect antenna for improved WLAN connectivity and wireless WAN (WWAN) promise that even while traveling you can stay connected
- ThinkPad shock-mounted HDD; mounted in rubber rails to enhance durability
- Floating planar design to protect components from damage
- Intel Wireless WiFi Link 4965AGN
- Intel Pro/Wireless 3945ABG Network Connection
- · Integrated Bluetooth wireless technology
- · Integrated microphone
- · External microphone port
- Headphone/line-out
- · Secure Digital card slot
- Three USB 2.0 ports
- RJ-11 and RJ-45 ports

ThinkPad X61 Tablet options

Li-lon battery pack

- · An eight-cell Li-lon battery pack is shipped with the system.
- An optional eight-cell battery for longer battery operation is available.
- The battery pack is an internal power source to the computer when the ac adapter is not available. The battery pack is rechargeable and is charged using the ac adapter with the system.

Optional ThinkPad X6 Tablet UltraBase docking solution

- · Easy cable management and expansion
- · Stereo speakers
- Microphone / line-in
- Headphone / line-out
- One Ultrabay[™] slot supporting the latest Ultrabay Slim options
- Standard ports including RJ-11, RJ-45, serial, parallel, external display, power, and four USB

- Keylock to securely attach the system unit to the ThinkPad X6 Tablet UltraBase
- · Slot for optional security cable lock

Ultrabay Slim options: Select from an expanding range of Ultrabay Slim devices including a CD-RW/DVD combo Ultrabay Slim drive, an ultralight DVD-Recordable drive, or an additional 2.5-inch HDD. These options require the ThinkPad X6 Tablet UltraBase.

Family features available for ThinkPad X61 Tablets

- Intel Core 2 Duo processors L7300 and L7500
- HDDs: 60, 80, 120, and 160 GB (2.5-in, 5400 rpm); 100 GB (2.5-in, 7200 rpm)
- System memory: 256 MB, 512 MB, 1 GB, and 2 GB
- Optical drives: CD-RW/DVD-ROM combo, DVD-ROM, and DVD Recordable (requires ThinkPad X6 Tablet UltraBase)
- Bluetooth wireless technology
- Intel GM965 chipset
- Integrated Intel Graphics Media Accelerator 950 or X3100
- ThinkPad 11a/b/g Wireless LAN Mini PCI Express Adapter
- ThinkPad 11b/g Wireless LAN Mini PCI Express Adapter II
- ThinkPad 11a/b/g/n Wireless LAN Mini-PCI Express Adapter
- Intel Wireless WiFi Link 4965AGN

Note: The IEEE 802.11n specification has not been finalized and is currently in draft release. The Integrated Intel Wireless WiFi Link 4965AGN Mini-PCI Express Adapter is based on the Draft Release, V1.02 of the IEEE 802.11n specification.

The maximum speed depends on the Access Point device and the number of integrated antennas used for the connection.

- Intel PRO/Wireless 3945ABG Network Connection
- Verizon Wireless Broadband Access
- Cingular Wireless Broadband Access
- Vodafone GSM/UMT Wireless Broadband Access
- Fingerprint reader
- 12.1-inch TFT display with 1024 x 768 resolution panel
- 12.1-inch TFT TouchScreen display with 1024 x 768 resolution panel
- 12.1-inch TFT display with 1400 x 1050 resolution panel
- · Four- or eight-cell Li-Ion battery
- Microsoft Windows Vista Business (32-bit)
- Microsoft Windows Vista Business (64-bit)
- Microsoft Windows Vista Home Premium (32-bit)
- Microsoft Windows Vista Ultimate (32-bit)
- Microsoft Windows XP Professional Tablet

Certain product family features are limited to select models that may not be available in all countries. Some combinations of features are not supported. Refer to the models and features available in your country.

Software

Non-Lenovo™ software: The non-Lenovo software programs listed in this section may be licensed to you under the non-Lenovo manufacturer's, supplier's, or publisher's terms and conditions. The non-Lenovo manufacturers, suppliers, or publishers are responsible for providing any service or support associated with these programs. The descriptions of these programs were obtained from information made available by these companies to the general public. Lenovo does not warrant these products. Some software may differ from its separately available version (if available), and may not include user manuals or all program function.

Microsoft Windows Vista Business and Ultimate 32-bit operating system preload

- ThinkVantage Productivity Center
- ThinkVantage Access Connections
- ThinkVantage Rescue and Recovery
- ThinkVantage Client Security Solution
- ThinkVantage System Update
- · PC-Doctor diagnostics
- · Adobe Acrobat Reader
- Diskeeper 9.0 Home Edition
- Picasa by Google
- Norton Internet Security 2007 (OEM Edition) with 90 days of virus definition updates
- ThinkVantage fingerprint software on selected systems Preload only on models with fingerprint reader
- Sun JRE
- VitalSource Library Education software U.S. only Preload Education models only

Warranty information

For a copy of applicable product warranties, contact your authorized Lenovo reseller or Lenovo representative. Lenovo makes no representation or warranty regarding third-party products or services.

Telephone support may be subject to additional charges, even during the limited warranty period. For Lenovo machines with on-site labor, Lenovo will attempt to diagnose and resolve the problem remotely before sending a technician. For Lenovo machines with courier or depot service, your service provider will attempt to diagnose and resolve the problem remotely before sending a courier.

All offers are subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time without notice. Lenovo is not responsible for photographic or typographic errors.

Reference information

- Power management reduces processor speed when in battery mode.
- 11a, 11b, and 11g wireless are based on IEEE 802.11a, 802.11b, and 802.11g. An adapter with 11a/b/g can communicate on any of these formats; the actual connection is based on the access point to which it connects.
- Requires compatible mini-PCle wireless-enabled options that are sold separately.
- For PCs without a separate video card, memory supports both system and video. Accessible system memory is up to 128 MB less than the amount stated, depending on video mode.
- 5 GB equals one billion bytes when referring to HDD. Accessible capacity is less. Up to 4 GB is used in the service partition.
- Includes battery; weight may vary depending on vendor components, manufacturing process, or options.

- Included software may differ from its retail version (if available), and may not include user manuals or all program functions. License agreements may apply.
- 8 Data transfer can vary and is often less than the maximum.
- 9 Maximum memory capacity may require the replacement of standard component with largest supported component available.
- The V.90 modem can receive data at up to 56 Kbps from a compatible service provider and transmit data at up to 31.2 Kbps. Public networks currently limit maximum download speeds to about 53 Kbps. Actual speeds depend on many factors and are often less than the maximum possible.
- Public network download speeds are limited to 53 Kbps. Upload speeds are limited to 48 Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require a compatible phone line and server equipment, and download of the V.92 support device driver when available. Check with your telephone and Internet service providers for availability.
- Activating Verizon Wireless Service: Lenovo customers will be contacted after purchase to activate service; requires separate agreement with Verizon Wireless and is subject to the Customer Agreement, Calling Plan, and credit approval. Service and airtime charges will apply; \$175 early termination fee. Verizon Wireless, not Lenovo, is solely responsible for service. Service not available in all areas; purchaser is responsible for verifying that service is available for the intended location before purchasing a computer equipped with WAN card. Network details, coverage limitations, and maps can be obtained at

http://www.verizonwireless.com/b2c/mobileoptions/broadband/serviceavailability.jsp?opener=b2b

- Verizon Wireless service speed: Speed averages 400 to 700 Kbps based on network tests with 5 MB FTP data files, without compression. Speed declines with distance from the cell site and is limited to 154 Mbps at certain cell sites with backhaul limitations. The number of users on the Verizon Wireless data network may also affect maximum possible speed. Average upload speeds are expected to be between 60 to 80 Kbps. Speed claims are based on network tests with 5 MB FTP data files, without compression. Actual speeds and coverage may vary.
- 14 Requires service contract with Cingular; monthly service charges and airtime charges (based on data throughput) will apply. Roaming charges may also apply. Service not available in all areas. Cingular is solely responsible for the Cingular service. Visit the Cingular web site for complete details and service plans and to view a coverage map before ordering.

http://www.cingular.com/midtolarge/network

- Footnote does not apply.
- 6 Refer to the Lenovo Statement of Limited Warranty for terms governing support obligations. For a copy, contact your authorized Business Partner or Lenovo customer representative.

Trademarks

Intel and Intel Centrino are registered trademarks of Intel Corporation.

Microsoft and Windows are trademarks of Microsoft Corporation.

ThinkVantage, Rescue and Recovery, Ultrabay, and Lenovo are trademarks of Lenovo in the United States, other countries, or both

ThinkPad, TrackPoint, and ThinkPad are registered trademarks of Lenovo in the United States, other countries, or both

Other company, product, and service names may be trademarks or service marks of others.

Optional features

For the latest information on options available for the ThinkPad® X61 Tablet and other ThinkPad notebooks, visit

http://www.pc.ibm.com/us/accessories/thinkpad/index.html

Global Technology Services

IBM services include business consulting, outsourcing, hosting services, applications, and other technology management.

These services help you learn about, plan, install, manage, or optimize your IT infrastructure to be an On Demand Business. They can help you integrate your high-speed networks, storage systems, application servers, wireless protocols, and an array of platforms, middleware, and communications software for Lenovo[™] and many non-Lenovo offerings.

For details on available services, contact your IBM representative or visit

http://www.ibm.com/services/

For details on available IBM Business Continuity and Recovery Services, contact your IBM representative or visit

http://www.ibm.com/services/continuity

For details on education offerings related to specific products, visit

http://www.ibm.com/services/learning/index.html

Select your country, and then select the product as the category.

Technical information

Specified operating environment

Physical specifications

- Width: 274 mm (10.8 in)
- Depth: 267 mm (10.5 in) for models with eight-cell battery
- Height: 27 to 33 mm (1.1 to 1.3 in)
- Travel weight: Beginning at 1.71 kg (3.77 lb) for four-cell battery

Accessories

- Li-Ion battery pack:
 - Four-cell Li-lon battery: 234 g (0.52 lb)
 - Eight-cell Li-Ion battery: 455 g (1.00 lb)
- AC adapter (two-pin or three-pin)
- · Power cord for ac adapter

Note: Actual specifications and weights may vary based on features, vendor components, or manufacturing processes.

Electrical specifications

- Universal ac adapter (65 W)
- Input: 100/240 V ac, 50/60 Hz
- Output: 20 V dc
- Li-Ion battery pack:
 - Four-cell: 14.4 V, 2.0 Ah

- Eight-cell: 14.4 V, 4.55 Ah

Heat dissipation: 191 Btu/hr maximum

Heat emissions: 65 watts maximum

Air temperature for shipping and storage: -20° to 60°C (-4° to 140°F)

Acoustic noise level: Category 3D (office environment)

- · Sound power level:
 - 3.4 bels (idling)
 - 4.4 bels (operating)
- Sound pressure level at the operator position: 41 dB (HDD seeking)

Note: All measurements are made in accordance with the International Organization of Standardization (ISO) 7779 and reported in conformance with ISO 9296.

Operating environment: ThinkPad computers are designed, built, and tested for high quality and reliability. When used properly in standard business environments, a ThinkPad system should be a reliable computing asset for many years. Harsh environments and abuse can damage ThinkPad systems since they are not intended to withstand extreme temperatures, dust, shock, or other severe physical environments. ThinkPad systems should not be used in unsuitable environments. For example, a ThinkPad system should not be used in non-stationary environments, such as in-vehicle installations, without additional casing or shock dissipation. Lenovo warrants that the ThinkPad notebook will conform to its Official Published Specifications when used in a suitable physical operating environment.

Agency approvals: System unit

- FCC Class-B certified to comply with FCC Rules, Part 15
- VCCI Class B
- CISPR22 Class B
- UL 60950
- CSA C22.2 No. 950
- NOM
- SASO
- IEC 60950
- ACA
- MPR-II (Sweden)
- CE Mark
- · CCC (for China)
- BSMI
- CER

Software requirements: The preinstalled Microsoft™ Windows™ Vista operating system supports the new ThinkPad X61 Tablet models.

For a list of completed Linux™ certifications, visit

http://www.lenovo.com/pc/support/site.wss/MIGR-48NT8D.html

Operating systems other than those preinstalled on the systems may not provide full-feature functionality. To view considerations or Service Hints and Tips by operating system, visit

http://www.lenovo.com/think/support

- In the middle of the screen, in the Quick path to a product field, enter your system's four-digit
 machine type and model number.
- On the left side of the page, click Hints and Tips.

Compatibility and supported products

Contact your Lenovo representative for a list of supported features and options.

PC card: The ThinkPad X61 Tablet notebook conforms to the PC Card Standard 95. The new PC Card Standard encompasses both the former 16-bit Release 2.1 card standard and the new 32-bit CardBus card. Other PC card adapters that comply with the PC Card Standard may also function, but have not been tested by Lenovo.

Vendor software compatibility

Lenovo tests a large number of commonly used and available applications for compatibility with its ThinkPad systems using supporting operating systems and configurations. In general, you can expect that most vendor applications designed to run on supported operating systems and Intel®-compatible system architectures should be compatible with a ThinkPad system. Some configurations, however, may not be compatible.

Lenovo does not warrant or support vendor software products, nor guarantee compatibility of those products with Lenovo systems. Refer to the applicable warranty and license terms provided by the respective vendors.

ThinkPad X61 Tablets contain BIOS in their flash ROM and a GUI to set up the system and power management features for Windows users. BIOS provides the hardware instructions and interfaces designed to support the standard features of the ThinkPad X61 Tablet system.

Limitations: For a list of tips about running various versions of operating systems, visit

http://www.lenovo.com/think/support

Wi-Fi wireless upgradable systems are designed to operate only with WLAN mini-PCIe options sold by Lenovo. Systems are not wireless upgradable in all countries.

Memory: Standard memory can be expanded to 3 or 4 GB of addressable memory, depending on whether the operating system is 32- or 64-bit. New notebooks with a Windows Vista or previous Windows XP 32-bit operating system can support up to 3 GB of addressable memory. New notebooks with a Windows Vista 64-bit operating system can support up to 4 GB of addressable memory.

Recommended for memory expansion are 512 MB, 1 GB, and 2 GB PC2-5300 DDR2 SDRAM 667 MHz SO DIMM.

Planning information

Cable orders: All cables are included in the shipment group.

Installability: The ThinkPad X61 Tablet requires approximately 20 minutes for installation. Installation includes unpacking, setting up, and powering on the system. Additional time is required to install optional memory and other optional features.

Security, auditability, and control

Security features

The following password protection mechanisms are available:

- · Power-on passwords to help protect the system from unauthorized use
- A supervisor password for use by a system administrator
- An HDD password to help protect data on the removable HDD

An optional locking device in the security slot provides additional physical security.

The customer is responsible for evaluation, selection, and implementation of security features, administrative procedures, and appropriate controls in application systems and communications facilities.

Terms and conditions

IBM credit corporation financing: Yes

To obtain copies of the Lenovo Statement of Limited Warranty, contact your reseller or Lenovo.

In the United States, call 800-426-7378 or write to:

Warranty Information
500 Park Offices Drive

Research Triangle Park, NC 27709

Attn: Dept ZPYA/B600

Warranty period for machine type 7767

- System hardware Three years on parts and labor
- System battery One year

Optional Lenovo features initially installed in a Lenovo system carry the same warranty period as the system. If installed after the initial system installation, they carry the balance of the system warranty or the optional feature warranty, whichever is greater.

Warranty service: If required, your service provider provides repair or exchange service depending on the type of warranty service specified for the machine. A service technician will attempt to resolve your problem over the telephone. You must follow the problem determination and resolution procedures. Scheduling of service will depend upon the time of your call and is subject to parts availability. Service levels are response time objectives and are not guaranteed. The specified level of warranty service may not be available in all worldwide locations. Additional charges may apply outside your service providers normal service area. Contact your local service provider representative or your reseller for country- and location-specific information.

Customer replaceable unit (CRU) service: Lenovo will ship CRUs to you for you to install. Tier 1 CRUs are easy to install whereas Tier 2 CRUs require some technical skill and tools. CRU information and replacement instructions are shipped with your machine and are available from Lenovo at any time on your request. You may request that a service provider install CRUs, at no additional charge, under the type of warranty service designated for your machine. Lenovo specifies in the materials shipped with a replacement CRU whether a defective CRU must be returned. When return is required, return instructions and a container are shipped with the replacement CRU. You may be charged for the replacement CRU if Lenovo does not receive the defective CRU within 30 days of your receipt of the replacement.

Courier or depot service: You will disconnect the failing machine for collection arranged by your service provider. A shipping container will be provided to you for you to return your machine to a designated service center. A courier will pick up your machine and deliver it to the designated service center. Following its repair or exchange, the service center will arrange the return delivery of the machine to your location. You are responsible for its installation and verification.

This type of service is called EasyServ in the U.S. and Canada.

Call 800-426-7378 to assist with problem isolation for hardware to determine if warranty service is required. Telephone support may be subject to additional charges, even during the limited warranty period. If a hardware problem is identified, the Customer Support Center will either initiate the shipment of a CRU or arrange for a courier to pick up the system for overnight delivery (where available) to the repair location. Most repairs should be made within 48 hours after the system is received at the repair location (actual repair time may vary). Keep the original shipping carton for shipping to the repair location. If the original shipping carton is not available, the courier will deliver a shipping carton and return to pick up the system for delivery to the repair

location.

International Warranty Service (IWS): IWS is available during the warranty period to customers who travel or relocate to countries where their computer is sold and serviced by a service provider authorized to perform warranty service. Eligible Lenovo computers are identified by their four-digit machine type.

You can obtain IWS through the method of service, such as CRU, depot, carry-in or on-site, provided in the servicing country. Service methods and procedures vary by country, and some service or parts may not be available in all countries. Service centers in certain countries may not be able to service all models of a particular machine type. In addition, some countries may have fees and restrictions that apply at the time of service.

Note: Due to the earth's magnetic field, CRT monitors are manufactured to work in northern, southern, and equatorial regions of the earth and may not produce a satisfactory image when moved between them. Any required adjustment (if possible) is not covered under IWS and may be subject to a chargeable action. The magnetic field does not affect flat-panel LCD monitors and ThinkPad LCD displays.

Licensing: Programs included with this product are licensed under the terms and conditions of the license agreements that are shipped with the system.

ThinkPlus™ services

Warranty and maintenance options: The announced products may be eligible for ThinkPlus maintenance services, convenient prepackaged offerings for warranty service upgrades and maintenance services.

Installation services: The announced products may be eligible for ThinkPlus installation services, convenient prepackaged offerings for installation services.

Refer to the Prices section for information on the availability of ThinkPlus services.

Field-installable features: Yes

Model conversions: No

Machine installation: Customer setup. Customers are responsible for installation according to the instructions Lenovo provides with the machine.

Graduated program license charges apply: No. This product does not contain licensed internal code or licensed machine code.

Educational allowance: None

Prices

Mobile products

All models have a modem, Gigabit Ethernet, UltraConnect antenna, Client Security Solution, Secure Digital slot with input/output support, and Intel GM965 chipset.

U.S. English machines

Description	Part number	Machi ne type/ model	List price(17)
ThinkPad X61 Tablet (12.1" XGA Super-Wide Angle with Touchscreen, Bluetooth Wireless Technology, Integrated Fingerprint Reader, Intel Core 2 Duo processor L7500 (LV), Mobile Intel GM965 Express Chipset, Intel GMA X3100 Integrated Graphics, 100 GB/5400 rpm.	7767C3U	7767- C3U	\$2, 549

1 GB, UltraBase + DVD Recordable, Intel PRO/Wireless 3945ABG, Eight-cell Li-Ion, Verizon Wireless Broadband Access, Microsoft Windows Vista Ultimate)

ThinkPad X61 Tablet
(12.1" XGA Super-Wide Angle with
Touchscreen, Bluetooth Wireless
Technology, Integrated Fingerprint
Reader, Intel Core 2 Duo processor
L7500 (LV), Mobile Intel GM965
Express Chipset, Intel GMA X3100
Integrated Graphics,
120 GB/5400 rpm, 1 GB,
UltraBase + DVD Recordable,
Intel Wireless WiFi Link 4965AGN,
Eight-cell Li-Ion,
Cingular Wireless Broadband Access,
Microsoft Windows Vista Ultimate)

7767C4U 7767-C4U 2,599

(17) List price does not include tax or shipping and is subject to change without notice. Reseller prices may vary.

ThinkPlus services for warranty and maintenance

The offerings below apply to all models of machine type 7767. The models are: C3U and C4U.

Description	ThinkPlus part number
2-year IOR 9 x 5 NBD	41C9175
3-year IOR 9 x 5 NBD	41C9176

IBM Global Services is the preferred, authorized warranty service, warranty service upgrade, and post-warranty service provider for Lenovo products (excluding mainland China).

For ServiceElect (ESA) maintenance service charges, contact IBM Global Services at 888-426-4343.

IBM Global Financing: IBM Global Financing offers competitive financing to credit-qualified customers to assist them in acquiring IT solutions. Offerings include financing for IT acquisition, including hardware, software, and services, from both IBM and other manufacturers or vendors. Offerings (for all customer segments: small, medium, and large enterprise), rates, terms, and availability can vary by country. Contact your local IBM Global Financing organization or visit

http://www.ibm.com/financing

IBM Global Financing offerings are provided through IBM Credit LLC in the United States, and other IBM subsidiaries and divisions worldwide to qualified commercial and government customers. Rates are based on a customer's credit rating, financing terms, offering type, equipment type, and options, and may vary by country. Other restrictions may apply. Rates and offerings are subject to change, extension, or withdrawal without notice.

Financing solutions from IBM Global Financing can help you stretch your budget and affordably acquire the new product. But beyond the initial acquisition, our end-to-end approach to IT management can also help keep your technologies current, reduce costs, minimize risk, and preserve your ability to make flexible equipment decisions throughout the entire technology life cycle.

Trademarks

Intel is a registered trademark of Intel Corporation.

Microsoft and Windows are trademarks of Microsoft Corporation.

Linux is a trademark of Linus Torvalds in the United States, other countries or both.

Lenovo and ThinkPlus are trademarks of Lenovo in the United States, other countries, or both

Other company, product, and service names may be trademarks or service marks of others.

This announcement is provided for your information only. For additional information, contact your Lenovo representative, call 866-96THINK, or visit the Lenovo home page at: http://www.lenovo.com/us/en/